



Reports Guide

Author: UTEL Training Team
Email: training@utel.co.uk

Version: V1.0
Software: S2.4.6

Table of Contents

1 Reports Guide	4
1.1 Alarms	5
1.2 Users	6
1.3 Equipment	7
1.3.1 Component Events	7
1.3.2 Warranty Report	8
1.3.3 All OTDRs	8
1.3.4 All ROSCs	9
1.3.5 All OLTs	9
1.3.6 All OLT Ports	10
1.3.7 All Cables	11
1.3.8 Cable Diagram	11
1.3.9 All Switches	12
1.3.10 All Switch Ports	12
1.3.11 All ONTs	13
1.3.12 All NTs	13
1.3.13 Splice Information	14
1.3.14 Float Information	16
1.3.15 Cable End Points	17
1.3.16 Inventory Report	19
1.4 Routes and Networks	20
1.4.1 All Routes	20
1.4.2 All Scheduled Networks	21
1.4.3 Route Details	21
1.4.4 Duct Route Details	23
1.5 Project	24
1.5.1 SED	25
1.5.2 Wayleave	26
1.6 Test Schedule	26

Reports Guide

1 Reports Guide

The **Reports** tab gives an overall view of the system

This tab gives an administrative view of the system.
The reports that can be accessed are based on your User Role.

Users can view alarms, user activity, routes and networks, and the state of the equipment.

In **Alarms** you can view all alarm status for network and system alarms, and an all alarms view.

In **User Reports**, you can view the details of each user that has access to the system i.e. when they last logged in and if they are online.

The **Equipment Reports** section gives information about the components in the network, such as switches and cables.

The **Routes and Networks Reports** section gives a state and details of the routes.

The **Project Reports** section gives the details of the projects the user is involved in.


The **Test Schedule Report** section gives the details of the scheduled tests set up on networks the user is involved in.

The screenshot displays the Reports tab interface. On the left is a vertical navigation menu with icons for Home (H), Alarms (A), Tests (T), Projects (P), Equipment (E), Maps (M), KML, UGEO, Reports (R), Lists (LL), Settings (SP), NOC, TRT, CAP, Help, and LO. The main content area is divided into three sections:

- Alarms:** Contains a single card with a bell icon and the text "All Alarms".
- Equipment Reports:** A grid of 24 cards, each with an icon and a label:
 - Component Events
 - Warranty Report
 - All OTDRs
 - All ROSCs
 - All ISMCs
 - All OLTs
 - All OLT Ports
 - All Service Switch Ports
 - All Cables
 - Cables Fibres
 - Cables Diagram
 - All Switches
 - All Switch Ports
 - All TASMs
 - All ONTs
 - All NTS
 - Splice Information
 - Float Information
 - Cable End Points
 - Inventory Report
 - Custom
- Routes and Networks Report:** This section is partially visible at the bottom of the screen.

At the bottom of the interface is a status bar with various indicators and a "Reports" button on the right. The status bar includes:

- Information icon
- Envelope icon
- Alarm icon
- Question mark icon
- 12 All Tests
- 0 Scheduled Tests
- 4 My Tests
- 0 Faults
- 2 All Alarms
- 2 All Live Alarms
- Reports button



1.1 Alarms

Each page represents all outstanding, accepted, resolved and completed network and equipment **alarms**. There is also an all completed alarms and all alarms view.

All Alarms Report

ID	Point of Presence	Equipment / Network	State	Description	Created	Source	Alarm Type	User	Location
79	ORLE-POP 01	ORLE SW001.001	ACCEPTED	1 fault	23-01-2020 13:10:58	OTDR	Network Alarm	tester	Orleans
68	ORLE-POP 01	N[00]1 OTDR 903	ACCEPTED	offline	23-01-2020 12:52:20	COMMS_POLLER	Equipment Alarm	SYSTEM	Orleans
67	ORLE-POP 01	N[00]1 OTDR 903	ACCEPTED	IP EMS Call Failed	23-01-2020 12:52:19	COMMS_POLLER	Equipment Alarm	SYSTEM	Orleans
1367	ORLE-POP 01	N[00]1 OTDR 903L[A004] FS-16	OUTSTANDING	offline	06-06-2022 16:54:11	EQUIPMENT	Equipment Alarm	SYSTEM	Orleans
1366	ORLE-POP 01	N[00]1 OTDR 903L[A003] FS-16	OUTSTANDING	offline	06-06-2022 16:54:11	EQUIPMENT	Equipment Alarm	SYSTEM	Orleans
1365	ORLE-POP 01	N[00]1 OTDR 903L[A002] FS-16	OUTSTANDING	offline	06-06-2022 16:54:11	EQUIPMENT	Equipment Alarm	SYSTEM	Orleans

Navigation: << 1 >> 25

Total Records: 6

Point of Presence (POP) is where the equipment with the alarm is housed.

The type of **Equipment/Network** that raised the alarm.

Filter the alarms by **State**: All, Outstanding, Resolved, Accepted or Complete.

Description gives more details of the reason why an alarm was raised.

Created is the date that the first alarm was raised.

Source is the where the alarm has originated from.

Alarm Type is the type of alarm failure : System Alarm or Network Alarm.

User is where the alarm was originated/the user who ran the test that resulted in a fault.

Location is where the alarm is located.

1. **Refresh** will update the table with any new data.

2. The **Import/Export** button allows you to export all the data or the page, to an external file.


3. Press **Back** to return to the previous page.

4. The **Advanced Table Settings** presents a pop up.

The user can select to specific columns to add or remove from the table.

Reports Guide

This allows the user to find aspects in the table quickly.



1.2 Users

This page displays all users on the system and their **logging in** activity.

All Users Report Back

Include Offline Include Disabled Refresh Import/Export Settings

Enabled	Online	Firstname	Lastname	Username	Last Logged on	Current Successful Login Date	Last Successful Login Date	Last Failed Login Date	Failed Login Count
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Orleans	Admin	orleans_admin	07-06-2021 16:11:04	07-06-2021 16:11:04			0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Planner	Approver	orleans_approver	10-05-2021 18:19:42	10-05-2021 18:19:42			0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sales	Approver	orleans_sales	10-05-2021 16:09:32	10-05-2021 16:09:32	10-05-2021 14:13:56		0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Planner	Leader	orleans_planner	07-06-2021 16:10:36	07-06-2021 16:10:36	11-05-2021 10:44:22		0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Installer	Trusted	orleans_installer	11-05-2021 10:44:42	11-05-2021 10:44:42	11-05-2021 10:13:47		0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Databuilder	Trusted	orleans_databuilder	10-05-2021 18:35:43	10-05-2021 18:35:43			0
<input type="checkbox"/>	<input type="checkbox"/>	Databuilder	Untrusted	aeroport_databuilder					0
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Installer	Untrusted	aeroport_installer	11-05-2021 10:31:48	11-05-2021 10:31:48			0

Selected Records: 0 Total Records: 8

If the user is not **Enabled** there will be a red icon

If the user is enabled there will be a green box and **Online** there will be a green box with a green tick.

Users **Full Name** and **Username** provided.

You can view when the user was **Last Logged On**, **Current Successful Login Date**, when they **Last Successfully Logged in Date** and **Last Failed to Login Date**, as well as a count to how many times they **Failed to Log In**.

You can shorten the list of users to not include the **offline users** by un-ticking the **Include Offline** box, or **disabled users** by un-ticking the **Include Disabled** box.

Refresh will update the table with any new data.


The **Import/Export** button allows you to export all the data or the page, to an external file.

Press **Back** to return to the previous page.

The **Advanced Table Settings** presents a pop up.

The user can select to specific columns to add or remove from the table.

This allows the user to find aspects in the table quickly.




1.3 Equipment

These pages give information about the components in the network.

1.3.1 Component Events

This page represents an assigned component within you network, and will display all the related information describing the trace of the component.



Display Name you have given to the component, in this example a splitter, during the set up to make it identifiable.

Width of event (m) - width, in meters, of the event trace related to the splitter.

Reflectance (dB) - the reflectance level, in decibels, of the splitters trace event.

Position (m) - the distance, in meters, where the splitters event as been assigned.

Peak Position (m) - the distance, in meters, the peak of the splitters trace event is recorded at.

Start Level (dB) - the level, in decibels, at the beginning of the splitters trace event.

Peak Level (dB) - the level, in decibels, at the peak of the splitters trace event.

End Level (dB) - the level, in decibels, at the end of the splitters trace event.

Loss (dB) - the drop in level, in decibel, from the start and end of the splitters trace event.

POP Location of the POP where the OTDR can be found.

1. **Refresh** will update the table with any new data.
2. The **Import/Export** button allows you to export all the data or the page, to an external file.
3. Press **Back** to return to the previous page.
4. The **Advanced Table Settings** presents a pop up to select table columns.

Reports Guide

1.3.2 Warranty Report

This page displays all equipment on your system with their relevant **Warranty** status.

Warranty Report Back

Select a Location: Show Only Existing Warranty Dates ?

System Name	Display Name	Network Status	Warranty Status Name	Warranty Expiry Date	Warranty Date	Serial Number	Version	POP Location
OTDR 903	N[001] OTDR 903	Available	▲	30-04-2022	Sat Apr 30 2022 00:00:00 GMT+0100 (British Summer Time)	238	0.0.15	Orleans
FS-16	LA[064] FS-16	Available	▲ Critical	30-06-2021	Wed Jun 30 2021 00:00:00 GMT+0100 (British Summer Time)			Orleans
FS-16	LA[001] FS-16	Available	▲ Warning	22-07-2021	Thu Jul 22 2021 00:00:00 GMT+0100 (British Summer Time)			Orleans
FS-16	LA[002] FS-16	Available	▲ Warning	22-07-2021	Thu Jul 22 2021 00:00:00 GMT+0100 (British Summer Time)			Orleans
FS-16	LA[003] FS-16	Available	▲	30-04-2022	Sat Apr 30 2022 00:00:00 GMT+0100 (British Summer Time)			Orleans
FS-16	LA[004] FS-16	Available	▲	30-04-2022	Sat Apr 30 2022 00:00:00 GMT+0100 (British Summer Time)			Orleans
ROSC	N[001] ROSC	Available	▲ Warning	22-07-2021	Thu Jul 22 2021 00:00:00 GMT+0100 (British Summer Time)	125	0.0.14	Orleans Aeroport
FS-04	LA[001] FS-04	Available	▲	16-09-2021	Thu Sep 16 2021 00:00:00 GMT+0100 (British Summer Time)			Orleans Aeroport

Total Records: 8

The **Warranty** default indicators are **Warning** flagging at 90 days before the Expiry Date and **Critical** set at 30 days.

The Warranty settings are configurable, including the way the user gets notified, in *System Properties*; *Advanced Settings*.

System Properties

General Policies Email Settings Server Settings **Advanced Settings** Project Settings Test Types Equipment Types Equipment Cost Estimate

Warranty Warning (in Days):

Warranty Critical (in Days):

Warranty Email Notification ?

1.3.3 All OTDRs

This page displays all controllers on the system with their relevant information.

OTDR Report Back

Select a Location:

Display Name	Network Status	Connected	Operational Status	IP Address	Serial Number	Version	POP Location
N[001] OTDR 903	Available	false	Available	3.3.3.3	238	0.0.15	Orleans

Total Records: 1

Display Name that is given to the controller during the set up to make it identifiable.

Network Status of the OTDR.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the OTDR.

IP Address of the OTDR.

Serial Number and **Version** of the OTDR.

POP Location of the POP where the OTDR can be found.

Any relevant **Notes** made while setting up the controller will be displayed.

Reports Guide

1.3.4 All ROSCs

This page displays all controllers on the system with their relevant information.

ROSC Report

[Back](#)

 Select a Location:


Display Name	Network Status	Connected	Operational Status	IP Address	Serial Number	Version	POP Location
N[001] ROSC	Available	false	Available	1.1.1.1	125	0.0.14	Orleans Aeroport

<< < 1 > >> 25

Total Records: 1

Display Name that is given to the controller during the set up to make it identifiable.

Network Status of the ROSC.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the ROSC.

IP Address of the ROSC.

Serial Number and **Version** of the ROSC.

POP Location of the POP where the ROSC can be found.

Any relevant **Notes** made while setting up the controller will be displayed.

1.3.5 All OLTs

OLT Report

[Back](#)

 Select a Location:


Display Name	Network Status	Connected	Operational Status	POP Location
ORLE-CalixOLT-01	Available	false	Available	Orleans

<< < 1 > >> 25

Total Records: 1

Display Name that is given to the OLT during the set up to make it identifiable.

Network Status of the OLT.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the OLT.

POP Location of the POP where the OLT can be found.

Any relevant **Notes** made while setting up will be displayed.

1.3.6 All OLT Ports

OLT Ports Report Back

* Select a Location: Orleans

None Available In Use In Service

Display Name	Network Status	Connected	Enclosure	Notes	Operational Status	OLT Parent	Switch Port	Connected to Switch	Route Name	Switch Type	Route Status	Location
ORLE- CalixOLT-01 - C1- P1 PON 01	Available	true	ORLE-POP 01		Connected	ORLE- CalixOLT-01	SW001 FS-16 Output 001	LA(001)FS-16	SW001.001	FS-16	Available	Orleans
ORLE- CalixOLT-01 - C1- P2 PON 02	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P3 PON 03	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P4 PON 04	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P5 PON 05	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P6 PON 06	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P7 PON 07	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C1- P8 PON 08	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C2- P1 PON 09	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans
ORLE- CalixOLT-01 - C2- P2 PON 10	Available	false	ORLE-POP 01		Available	ORLE- CalixOLT-01						Orleans

Total Records: 16

Display Name that is given to the OLT during the set up to make it identifiable, including the port numbers.

Network Status of the OLT Ports.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the OLT Ports.

POP Location of the POP where the OLT can be found.

The **OLT Parent** name that the ports belong to.

The **Switch Port** that the OLT Port is connected to.

The **Switch** that the OLT Port is connected to.

Network Name is the Route name from which the tests will run from.

Route Status of the Route.

Any relevant **Notes** made while setting up will be displayed.

Filtering is available between **None**, **Available**, **In Use** and **In Service**.

Reports Guide

1.3.7 All Cables

Cables

Back

Select a Location: All Locations

Refresh Download Settings

System Name	Display name	Network Status	Operational Status	Starting Point	Ending Point	POP Location
Drop Cable 2 (1tx2f)	AC BB01::LQ Building02 NT_F2	Available	Available	BB01	LQ Building02 NT	Orleans
Cable 12 Fiber (1tx12f)	BB01::BB04_F12_S001	In Build	Available	BB01	BB02	Orleans
Cable 12 Fiber (1tx12f)	BB01::BB04_F12_S002	In Build	Available	BB02	BB03	Orleans
Cable 12 Fiber (1tx12f)	BB01::BB04_F12_S003	In Build	Available	BB03	BB04	Orleans
Cable 18 Fiber (1tx18f)	BB02::BB03_F18	In Build	Unavailable	BB02	BB03	Orleans
Cable 8 Fiber (1tx8f)	BB02::BB03_F8	In Build	Unavailable	BB02	BB03	Orleans
Cable 6 Fiber (1tx6f)	BB03::BB04_F6	In Build	Unavailable	BB03	BB04	Orleans
Cable 6 Fiber (1tx6f)	BB04::BB08_F6	In Build	Available	BB04	BB08	Orleans
External Cable 72 (8tx12f)	HH10::SC01_F72	Available	Available	HH10	SC01	Orleans
External Cable 24 (2tx12f)	ORLE-POP 01::SC01_F24	Built	Unavailable	ORLE-POP 01	SC01	Orleans
External Cable 72 (8tx12f)	ORLE POP_HH10_F72	Available	Available	ORLE-POP 01	HH10	Orleans
Cable 18 Fiber (1tx18f)	SC01::BB01_F18	In Build	Available	SC01	BB01	Orleans

Navigation: << < 1 > >> 25 >

Total Records: 12

Display Name you have given to the cable during the set up to make it identifiable.

Network Status of the cables.

Operational Status of the cables.


Starting Point where the cable originates.

Ending Point where the cable terminates.

POP Location of the POP where the cable can be found.

Any relevant **Notes** made while setting up will be displayed.

1.3.8 Cable Diagram



1.3.9 All Switches

Switches Report

Back

Select a Location:



POP Location	Display Name	Network Status	Connected	Operational Status	Serial Number	Version
Orleans Aeroport	LA[001] FS-04	Available	false	Available	320	0.3.3
Orleans	LA[001] FS-16	In Service	false	Available	160	0.2.5
Orleans	LA[002] FS-16	Available	false	Available	161	0.2.5
Orleans	LA[003] FS-16	Available	false	Available	162	0.2.5
Orleans	LA[004] FS-16	Available	false	Available	163	0.2.5
Orleans	LA[064] FS-16	In Service	false	Available	164	0.2.5

« < 1 > » 25

Total Records: 6

Display Name that is given to the switch during the set up to make it identifiable.

Network Status of the switch.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the switch.

Serial Number and **Version** of the switch.

POP Location of the POP where the switch can be found.

Any relevant **Notes** made while setting up will be displayed.

1.3.10 All Switch Ports

Switch Ports Report

Back

Select a Location:

None Available In Use In Service



Connected	Notes	Operational Status	Display Name	Location	Network Status	Enclosure	Switch Parent	OLT Port	OLT Type	OLT Parent	Route Name	Route Status
true		Connected	SW001 FS-16 Output 001	Orleans	Available	ORLE-POP 01	LA[001] FS-16	ORLE-CalixOLT-01 - C1-P1 PON 01	Calix 16 Port OLT	ORLE-CalixOLT-01	SW001:001	Available
true		Connected	SW001 FS-16 Output 002	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:002	Available
true		Connected	SW001 FS-16 Output 003	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:003	Available
true		Connected	SW001 FS-16 Output 004	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:004	Available
true		Connected	SW001 FS-16 Output 005	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:005	Available
true		Connected	SW001 FS-16 Output 006	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:006	Available
true		Connected	SW001 FS-16 Output 007	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:007	Available
true		Connected	SW001 FS-16 Output 008	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:008	Available
true		Connected	SW001 FS-16 Output 009	Orleans	In Service	ORLE-POP 01	LA[001] FS-16				SW001:009	In Service
true		Connected	SW001 FS-16 Output 010	Orleans	Available	ORLE-POP 01	LA[001] FS-16				SW001:010	Available

« < 1 2 3 4 5 > » 10

Total Records: 80

Display Name that is given to the switch during the set up to make it identifiable, including the port numbers.

Network Status of the switch port.

Is the networks Test Configuration commissioned to indicate **Connected**.

Operational Status of the switch port.

The **Switch Parent** name that the ports belong to.

The **OLT Port** that the Switch Port is connected to.

The **OLT** that the Switch Port is connected to.

Network Name is the Route name from which the tests will run from.

Route Status of the Route

POP Location of the POP where the switch can be found.
Any relevant **Notes** made while setting up will be displayed.

1.3.11 All ONTs

ONT Report Back

Select Sub Location: All Sub Locations
Select Pop Location: All Pop Locations

Location ↑	Enclosure	Display Name	Network Status	Connected	Equipment Type	Operational Status	
Orleans	22 Rue Vielle	ONT	Available	false	1 Port Generic ONT	Available	🔴
Orleans	23 Rue Vielle	ONT	Available	false	1 Port Generic ONT	Available	🔴
Orleans	24 Rue Vielle	ONT	Available	false	1 Port Generic ONT	Available	🔴
Orleans	25 Rue Vielle	ONT	Available	false	1 Port Generic ONT	Available	🔴
Orleans	Champs de Mars	ONT	Planning	false	1 Port Generic ONT	Unavailable	🔴
Orleans Aeroport	01 Flats (MDU)	ONT1	Planning	false	1 Port Generic ONT	Unavailable	🔴
Orleans Aeroport	02 Flats (MDU)	ONT1	Planning	false	1 Port Generic ONT	Unavailable	🔴
Orleans	Rue Guign Flats	ONT1	Available	false	1 Port Generic ONT	Available	🔴
Orleans Aeroport	01 Flats (MDU)	ONT2	Planning	false	1 Port Generic ONT	Unavailable	🔴
Orleans Aeroport	02 Flats (MDU)	ONT2	Planning	false	1 Port Generic ONT	Unavailable	🔴

Total Records: 82

Display Name that you have given to the ONT during the set up to make it identifiable.
Network Status of the ONT.
Is the networks Test Configuration commissioned to indicate **Connected**.
Operational Status of the ONT.
POP Location of the POP where the ONT can be found.
Any relevant **Notes** made while setting up will be displayed.

1.3.12 All NTs

NT Report Back

Select a Location: All Locations

Display Name	Network Status	Connected	Operational Status	POP Location
FLATS01 NT	Available	false	Available	Orleans
HOUSE01 NT	Available	false	Available	Orleans
LQ Building02 NT	Available	false	Available	Orleans
LQ_NT01	Available	false	Available	Orleans

Total Records: 4

Display Name that you have given to the NT during the set up to make it identifiable.
Network Status of the NT.
Is the networks Test Configuration commissioned to indicate **Connected**.
Operational Status of the NT.
POP Location of the POP where the NT can be found.
Any relevant **Notes** made while setting up will be displayed.

Reports Guide

1.3.13 Splice Information

Splice Information

Select a Location: Orleans

Select a Connection Type: Cable Joint Closures

Project Only In Use

Display Name	Equipment Type	Enclosure	Network Status	Operational Status	Location	Printable
JC_AC_BB01:LQ Building02 NT_F2 (A-END)	Dome Closure 12F	BB01			Orleans	✓
JC_BB01:BB04_F12 (B-END)	4 way Closure	BB04	Built	Unavailable	Orleans	✓
JC_BB01:BB04_F12_S001 (B-END)	4 way Closure	BB02	In Build	Unavailable	Orleans	✓
JC_BB01:BB04_F12_S002 (B-END)	4 way Closure	BB03	In Build	Unavailable	Orleans	✓
JC_BB04:BB06_F6 (B-END)	4 way Closure	BB06	In Build	Unavailable	Orleans	✓
JC_ORLE_POP_HH10_F72 (B-END)	4 way Closure	HH10	Available	Available	Orleans	✓

Selected Records: 0 Total Records: 6

Display Name that you have given to the Splice during the set up to make it identifiable.

Equipment Type of the Enclosure.

Enclosure where the Splice can be found.

Network Status of the Splice.

Operational Status of the Splice.

Location of the POP where the Splice can be found.

Any relevant **Notes** made while setting up will be displayed.

Select a Splice on the **table**.

Select **Print** button on the top right.

Splice Information

Select Sub Location: All Sub Locations

Select Pop Location: Orleans - ORLE

Select a Connection Type: Cable Joint Closures

Project Only In Use

ID	Location ID	Location	System Name	Display Name	Host	Abbreviation	Node ID	Equipment Type ID	Equipment Type	Enclosure
383762	378971	Orleans	4 way Closure	JC_BB01_SC01::BB09	0	ORLE	0	33	4 Way Closure	379056
383800	378971	Orleans	4 way Closure	JC_BB02_SC01::BB09	0	ORLE	0	33	4 Way Closure	379057
383892	378971	Orleans	4 way Closure	JC_BB03_SC01::BB09	0	ORLE	0	33	4 Way Closure	379058
383984	378971	Orleans	4 way Closure	JC_BB04_SC01::BB09	0	ORLE	0	33	4 Way Closure	379059
384076	378971	Orleans	4 way Closure	JC_BB05_SC01::BB09	0	ORLE	0	33	4 Way Closure	379060
380254	378971	Orleans	4 way Closure	JC_BB06_SC01::BB06_F1	0	ORLE	0	33	4 Way Closure	379061
384168	378971	Orleans	4 way Closure	JC_BB06_SC01::BB09	0	ORLE	0	33	4 Way Closure	379061
384260	378971	Orleans	4 way Closure	JC_BB07_SC01::BB09	0	ORLE	0	33	4 Way Closure	379062
384444	378971	Orleans	4 way Closure	JC_BB08_SC01::BB09	0	ORLE	0	33	4 Way Closure	379063
384536	378971	Orleans	4 way Closure	JC_BB09_SC01::BB09	0	ORLE	0	33	4 Way Closure	379064
391027	378971	Orleans	Generic Closure	JC_BB_SP2_01_AC BB_SP2_01::CSP01_F2	0	ORLE	0	9720	Generic Closure	390148
386255	378971	Orleans	4 way Closure	JC_FB04_01_SCD01::FB	0	ORLE	0	33	4 Way Closure	386031
386283	378971	Orleans	Generic Closure	JC_FB04_03_FB04_01:FB	0	ORLE	0	9720	Generic Closure	386033
388211	378971	Orleans	Generic Closure	JC_FB04_04_FB04_04:LL	0	ORLE	0	9720	Generic Closure	386034
386345	378971	Orleans	Generic Closure	JC_FB04_05_FB04_03:FE	0	ORLE	0	9720	Generic Closure	386035
504249	378971	Orleans	4 way Closure	JC_FB04_06_FB04_06:FE	0	ORLE	0	33	4 Way Closure	386036
386281	378971	Orleans	4 way Closure	JC_FB04_08_FB04_05:FE	0	ORLE	0	33	4 Way Closure	386038
1063809	378971	Orleans	4 way Closure	JC_FB04_09_FB04_08:FE	0	ORLE	0	33	4 Way Closure	386039

Total Records: 35



Closure ID: JC_FB04_01_SCDD01::FB04_01_F12



Closure Type	4 way Closure	Closure Name	JC_FB04_01_SCDD01::FB04_01_F12
Enclosure Type	Footway Box	Enclosure Name	FB04_01
Latitude	47.8899708911	Longitude	1.8950235844

Legend / Key

- Footway Box With New Closure - New

Connections Table

FB04 SPLC SPLTR 1:8		FB04_01:FB04_03_F12		
Port	Fibre	Tube	Tube Fibre	Fibre colour
P1	F5	1	5	gray
P2	F6	1	6	white
P3	F7	1	7	red
P4	F8	1	8	black
P5	F9	1	9	yellow
P6	F10	1	10	purple
P7	F11	1	11	pink
P8	F12	1	12	aqua

Connections Table

SCDD01::FB04_01_F12				FB04 SPLC SPLTR 1:8	
Fibre	Tube	Tube Fibre	Fibre colour	Port	
F5	1	5	gray	P1	

Connections Table

SCDD01::FB04_01_F12				FB04_01:FB04_03_F12			
Fibre	Tube	Tube Fibre	Fibre colour	Fibre	Tube	Tube Fibre	Fibre colour
F1	1	1	blue	F1	1	1	blue
F2	1	2	orange	F2	1	2	orange
F3	1	3	green	F3	1	3	green
F4	1	4	brown	F4	1	4	brown

Closure Installation Information

Cable Joint Closure	JC_FB04_01_SCDD01::FB04_01_F12		
Province	Centre	Region	Orleans
Author	Admin Org	Author Email	marianne.allan@utel.co.uk
Approver		Approver email	
Date Issued	15/1/2024		



UTEL Laboratories
Wolves Farm Lane
Off Ipswich Road
Hadleigh, United Kingdom

1.3.14 Float Information

Float Information

Select Sub Location: All Sub Locations
Select Pop Location: Orleans - ORLE

Project Only In Use Invalid Geo

Location	Display Name	Equipment Type	Network Status	Operational Status	Actual Length (m)	Start	End
Orleans	FB04_06:FB04_06_F4	CST Cable 4 Fiber (1x4F)	Planning	Unavailable		FB04_06	FB04_06
Orleans	FB04_08:FB04_09_F12	Cable 12 Fiber (1x12F)	Planning	Unavailable	3.8037	FB04_08	FB04_09
Orleans	HH6_SP2_01:BB_SP2_01_F6	Cable 6 Fiber (1x6F)	Planning	Unavailable		HH6_SP2_01	BB_SP2_01
Orleans	LLD01_SCD01:LLD01_SCD02_F24	External Cable 24 (2x12F)	Planning	Unavailable		LLD01_SCD01	LLD01_SCD02
Orleans	LLD01_SCD01:SP1_BB01_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB01
Orleans	LLD01_SCD01:SP1_BB02_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB02
Orleans	LLD01_SCD01:SP1_BB03_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB03
Orleans	LLD01_SCD01:SP1_BB04_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB04
Orleans	LLD01_SCD01:SP1_BB05_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB05
Orleans	LLD01_SCD01:SP1_BB06_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB06
Orleans	LLD01_SCD01:SP1_BB07_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB07
Orleans	LLD01_SCD01:SP1_BB08_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB08
Orleans	LLD01_SCD01:SP1_BB09_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB09
Orleans	LLD01_SCD01:SP1_BB10_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB10
Orleans	LLD01_SCD01:SP1_BB11_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB11
Orleans	LLD01_SCD01:SP1_BB12_F2	Cable 2 Fiber (1x2F)	Planning	Unavailable		LLD01_SCD01	SP1_BB12
Orleans	LLD01_SCD02:HH6_SP2_01_F18	Cable 18 Fiber (1x18F)	Planning	Unavailable		LLD01_SCD02	HH6_SP2_01
Orleans	LLD01_SCD02:SC02_F8	Cable 8 Fiber (1x8F)	Planning	Unavailable		LLD01_SCD02	SC02
Orleans	ORLE-POP 01:SC01_F12	External Cable 12 (1x12F)	In Service	Available		ORLE-POP 01	HHP01
Orleans	ORLE-POP 01:SC01_F12_2	External Cable 12 (1x12F)	In Service	Available		HHP01	SC01
Orleans	ORLE-POP 01:SC01_F24	External Cable 24 (2x12F)	Available	Available		ORLE-POP 01	SC01

Total Records: 47

Display Name that you have given to the Cable during the set up to make it identifiable.

Equipment Type of the Cable.

Network Status of the Cable.

Operational Status of the Cable.

Start and **End** of the Cable.

Location of the POP where the Cable can be found.

Any relevant **Notes** made while setting up will be displayed.


Select a Cable on the **table**.

Select **Print** button on the top right.

Set up the screen to **display** on the printout.

Print the **PDF**


Cable Name: ORLE-POP 01::SC01_F12



Legend / Key	
■	Central Office - Existing
●	Handhole (600 mm) With Closure - Existing
—	External Cable 12 (1tx12f) - Existing

FIBER CABLE SIZE	12F
CABLE SHEATH	black

Name	Slack (m)	Length (m)	Colour
ORLE-POP 01	0	104.46	OR
HHP01	0		

Cable Float Project Information			
Cable Name	ORLE-POP 01::SC01_F12		
Province	Centre	Region	Orleans
Author	Admin Org	Author Email	marianne.allan@utel.co.uk
Date Issued	15/1/2024	Total Length (m)	104.46



UTEL Laboratories
Wolves Farm Lane
Off Ipswich Road
Hadleigh, United Kingdom

Page 1 of 1

1.3.15 Cable End Points

The **Cable End Points** is similar to a Straight Line Drawing.

You can choose a **cable** in order to see where it originates, and where it will lead to.

The full diagram will be presented.

Cable End Points
Back


* Select a Location: Orleans

* Select a Cable: ORLE-POP 01::SC01_F24

Please Select a Cable

- AC BB01:LQ Building02 NT_F2
- BB01:BB04_F12_S001
- BB01:BB04_F12_S002
- BB01:BB04_F12_S003
- BB02:BB03_F18
- BB02:BB03_F8
- BB03:BB04_F6
- BB04:BB08_F6
- HH10:SC01_F72
- ORLE-POP 01::SC01_F24
- ORLE POP_HH10_F72
- SC01:BB01_F18

End Route: All Points
Default
Auto Reorder
Print PDF



If required filter the desired Start Route and/or End Route to display.

Cable End Points Back

Select a Location: Orleans
 Select a Cable: ORLE-POP 01:SC01_F24

Start Route: All Points End Route: All Points Default Auto Reorder Print PDF

Name: SPLC SPLTR 1:4
 Equipment Type: 1:4 Splice Splitter
 Enclosure Name: JC_AC
 BB01::LQ Building02 NT_F2 (A-END)

POP: ORLE-POP 01
 Splitters: SPLC SPLTR 1:4, SPLC SPLTR 1:4

Cable End Points Back

Select a Location: Orleans
 Select a Cable: ORLE-POP 01:SC01_F24

Start Route: SPLC SPLTR 1:4 End Route: LQ Building02 NT Default Auto Reorder Print PDF

Name: LQ Building02 ONT
 Equipment Type: 1 Port Generic ONT
 Enclosure Name: LQ Building02

ONTs: LQ Building02 NT, LQ Building02 ONT
 Splitters: SPLC SPLTR 1:4

Hover over the components in the drop down, or diagram, to get more details.

Cable End Points Back

Select a Location: Orleans
 Select a Cable: ORLE-POP 01:SC01_F24

Start Route: SPLC SPLTR 1:4 End Route: LQ Building02 ONT Default Auto Reorder Print PDF

Name: SPLC SPLTR 1:4
Equipment Type: 1:4 Splice Splitter
Enclosure Name: JC_AC BB01::LQ Building02 NT_F2 (A-END)
Parent Enclosure: BB01
Slack:
Assign Distance: 0m

SPLC SPLTR 1:4
 AC BB01::LQ Building02 NT_F2 (15.89m) LQ Building02 NT PCO_LQ Building02 NT ONT Connection LQ Building02 ONT

Reports Guide

A PDF can be printed of the diagram.

1.3.16 Inventory Report

Select a Location that you would like to view in the drop down, the default is 'Whole System'.
Each component will display their quantity.

Inventory Report (Back)

Select a Location: Whole System
 Add Host Class: None

Component	Quantity
OTDR (1)	
OTDR 903	1
ROSC (1)	
ROSC	1
OLTs (1)	
Calix 16 Port OLT	1
OLT Ports	
Used	1
Free	15
Faulty	0
Cables (12)	
Drop Cable 2 (1b2f)	1
Cable 6 Fiber (1b8f)	2
Cable 8 Fiber (1b8f)	1
Cable 12 Fiber (1b12f)	3
Cable 18 Fiber (1b18f)	2
External Cable 24 (2b12f)	1
External Cable 72 (6b12f)	2
Switches (6)	
FS-04	1
FS-16	5
Switch Ports	
Used	68
Free	16
Faulty	0
ONTs (3)	
1 Port Generic ONT	2
Calix 1 Port ONT	1
NTs (4)	
SC-UPC NT	1
SC-APC NT	3

If another group is required to view - it select from their grouping in **Add Host Class**.

Inventory Report (Back)

Select a Location: Orleans
 Add Host Class: [Dropdown Menu]

Component	Quantity
OTDR (1)	
OTDR 903	1
OLTs (1)	
Calix 16 Port OLT	1
Switches (5)	
FS-16	5
Switch Ports	
Used	68
Free	12
Faulty	0
ONTs (3)	
1 Port Generic ONT	2
Calix 1 Port ONT	1
NTs (4)	
SC-UPC NT	1
SC-APC NT	3

Add Host Class options:

- None
- Blanking Panels
- Buildings
- Bus and Power Extenders
- Cabinets
- Cable Joint Closures
- Cables
- Caps
- CBT Closures
- CBTs
- CCJ Closures
- Chassis
- Distribution Points
- Duct Couplers
- Ducts**
- Fast Optical Switches
- Fiber Joints
- Fiber Management
- Fibers
- Filters

The group chosen will be added to the **Inventory List**. It can be removed by selecting the x on the top right of the box.

Inventory Report Back

Select a Location: Orleans

Add Host Class: Ducts

OTDR (1)

OTDR 903	1
----------	---

OLTs (1)

Calix 16 Port OLT	1
-------------------	---

OLT Ports

Used	1
Free	15
Faulty	0

Cables (12)

Drop Cable 2 (1b2f)	1
Cable 6 Fiber (1b6f)	2
Cable 8 Fiber (1b8f)	1
Cable 12 Fiber (1b12f)	3
Cable 18 Fiber (1b18f)	2
External Cable 24 (2b12f)	1
External Cable 72 (6b12f)	2

Switches (5)

FS-16	5
-------	---

Switch Ports

Used	68
Free	12
Faulty	0

ONTs (3)

1 Port Generic ONT	2
Calix 1 Port ONT	1

NTs (4)

SC-UPC NT	1
SC-APC NT	3

Ducts (14)

Duct 1 way 14/10mm	1
Duct 2 way 12/10mm	3
Duct 2 way 14/10mm	3
Duct 2 way 8/5mm	1
Duct 3 way 8/5mm	3
Duct 4 way 12/10mm	2
Duct 4 way 8/5mm	1

1.4 Routes and Networks

These pages represents a fiber or cable within you network, and will display all the related information.

1.4.1 All Routes

Routes Back

Select a Location: All Locations

Name ↑↓	Network State	Operational State	Network Type	Schedule 1 Status	Schedule 2 Status	Has Reference Test	Has Assign Events	Has Planning Diagram	Default Test Type	Alarm
SW001.001	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.002	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.003	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.004	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.005	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.006	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.007	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.008	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.009	In Service	Available	PON	On	1	false	false	true	GENERIC_TEST	
SW001.010	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.011	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.012	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.013	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.014	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.015	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW001.016	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.001	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.002	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.003	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.004	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.005	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.006	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.007	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.008	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	
SW002.009	Available	Available	PON	No Schedule	0	false	false	false	GENERIC_TEST	

<< < 1 2 3 > >> 25

Total Records: 64

Name that is given to the switch and port during the set up to make the route identifiable.

Status of the switch.

What **Network Type** is the route.

Reports Guide

- What is the status of **Schedule 1**.
- What is the status of **Schedule 2**.
- Has a **Reference Trace** been run on the route.
- Has **Assign Events** been added to the route.
- What is the **Default Test Type** for the route.
- What type of **Alarm** has been raised on the route.
- Any relevant **Notes** made while setting up will be displayed.

1.4.2 All Scheduled Networks

Scheduled Routes Report

Back

Select a Location:

 Override Only


Network Display Name	Normal Interval	Scheduler Status	Test Type	Override Interval	Override Scheduler Status	Override Start	Override End	Override Test Type	Scheduler Number	Switch Port Name
SW001:001	12 Hours	Off	SYSTEM_QUICK_TEST	15 Min	On	09:00	17:00	SYSTEM_QUICK_TEST	Scheduler 1	SW001 FS-16 Output 001
SW001:001	24 Hours	Off	GENERIC_TEST						Scheduler 2	SW001 FS-16 Output 001
SW001:009	12 Hours	On	SYSTEM_QUICK_TEST	15 Min	Off	00:00	00:00	SYSTEM_QUICK_TEST	Scheduler 1	SW001 FS-16 Output 009
SW001:009	24 Hours	On	GENERIC_TEST						Scheduler 2	SW001 FS-16 Output 009

<< < 1 > >> 25

Total Records: 4

Network Display Name that is given to the switch and port during the set up to make the route identifiable.

What is the standard time **Interval** between scheduled tests.

What is the status of **Schedule**

What type of test will be run on the **Schedule**

What is the override time **Interval** between scheduled tests.

What is the status of **Override Schedule**

What specific **Start** and **End** times that the Override is set to run between

What type of test will be run on the **Override Schedule**

Which **Schedule** is the details of.

The **Switch Port Name** that the route is connected to.

Any relevant **Notes** made while setting up will be displayed.

1.4.3 Route Details

Select the POP and Route required for the report, then select **Generate Report**.

Route Details Report

Select a POP:

Search Routes:

Pops With Routes Only



Live Routes Only

Total Routes: 13


All the necessary **details** are displayed on the screen.

You can add or remove **layers** to view the information required.

There is an option to **filter** out the desired Start and End of the chosen Route.



If a printout is required, optimize the placement of the labels. Select the 'A4' page button, and adjust it around the map before printing to pdf.



Route Name: SW001:009

Estate	SW001:009
Route Owner	ORLE ORG
GPON Port	None

UTEL Laboratories
Wolves Farm Lane
Off Ipswich Road
Hadleigh, United Kingdom

Revisions			
Rev	Description	Date	Approved

Legend / Key	
	Business DP - Existing
	Boundary Box 400R With Closure - Existing
	Street Cabinet - Existing
	Handhole (600 mm) With Closure - Existing
	Central Office - Existing

CABLES

Name	Type	Sheath	Length (m)
SC01::BB06_F12	Cable 12 Fiber (1tx12f)	red	355.35
ORLE-POP 01::SC01_F12	External Cable 12 (1tx12f)	black	104.46
SC01::BB09_S01	Cable 18 Fiber (1tx18f)	red	34.13
SC01::BB09_S02	Cable 18 Fiber (1tx18f)	red	45.62
SC01::BB09_S03	Cable 18 Fiber (1tx18f)	red	67.86
SC01::BB09_S04	Cable 18 Fiber (1tx18f)	red	35.24
SC01::BB09_S05	Cable 18 Fiber (1tx18f)	red	97.87
SC01::BB09_S06	Cable 18 Fiber (1tx18f)	red	74.63
SC01::BB09_S07	Cable 18 Fiber (1tx18f)	red	61.29
SC01::BB09_S08	Cable 18 Fiber (1tx18f)	red	124.24
ORLE-POP 01::SC01_F12_2	External Cable 12 (1tx12f)	black	242.58
BB01::BUSINESS_DP_F2	Drop Cable 2 (1tx2f)	red	41.43

1.4.4 Duct Route Details

Select the POP and Route required for the report, then select **Generate Report**.

Ducts Route Details Report

* Select a POP: ORLE-POP 01 - ORLE

* Search Routes: SW001:009

Pops With Routes Only

Live Routes Only

Generate Report

Total Routes: 13

Back

The Duct Route Details are similar to Route Details - except it is solely duct details.

SW001:009 All End Points ▾ Back

Route: SW001:009
Route Owner: Orleans Organisation
GPON Port: None

Name	Type	Tube	Length (m)
ORLE-POP 01 - HH10	Duct 4 way 12/10mm	1	106.70
HH10 - SC01 D	Duct 4 way 8/5mm	4	238.30
BB01:LQ Building02 NT D	Duct 2 way 12/10mm	1	15.89
BB01 - BB02 D	Duct 3 way 8/5mm	1	44.77
BB02 - BB03 D	Duct 3 way 8/5mm	3	67.28
BB03 - BB04 D	Duct 3 way 8/5mm	2	32.88
BB04 - BB05 D	Duct 2 way 14/10mm	1	99.76
BB05 - BB06 D	Duct 2 way 14/10mm	1	74.82
BB06 - BB07 D	Duct 2 way 14/10mm	1	59.61
BB07 - BB08 D	Duct 2 way 12/10mm	1	119.25
SC01 - BB01 D1	Duct 4 way 12/10mm	1	34.13

1.5 Project

This page gives the details of the projects the user is involved in.

Project Status Back

* Select Project:

Select the **Project** you would like to find out details, then select the **Sub-Project** and **Component**.

Project Status Back

* Select Project:

* Select Sub-Project:

* Select Component: This field is required

Select **Continue**.

The screenshot shows a mobile application interface for 'Project Orleans Phase 1'. At the top right, there is a 'Back' button. Below the title, the word 'Manholes' is displayed. A list of manhole IDs is shown in a table-like format:

BB02
BB03
BB04
BB05
BB06
BB07
BB08
BB09
HHP01

Select **Component** to view details.

The screenshot shows the details for component 'BB02'. At the top right, there is a 'Back' button. Below the title 'BB02', the status 'OPEN' is shown, followed by a 'Print' button. The details are as follows:

Name:	BB02
Status:	OPEN
Description:	
Start Date:	04-05-2021 00:00:00
End Date:	14-05-2021 00:00:00
Priority:	
Due On:	
Approved On:	10-05-2021 18:40:25
Approved By:	Planner Approver
Approved Email:	some_email2@someorg.org
Type:	Boundary Box
Latitude:	47.867121
Longitude:	1.917949

The **Print** button navigates to the map screen to set up a **pdf** printout.

1.5.1 SED

This page displays all Special Engineering Difficulties on the system with their relevant information.

The screenshot shows the 'Special Engineering Difficulties Report' interface. At the top right, there is a 'Back' button. Below the title, there are two dropdown menus: 'Select Sub Location:' with 'All Sub Locations' selected, and 'Select Pop Location:' with 'All Pop Locations' selected. Below these are three icons: a refresh icon, a play icon, and a settings icon. A table displays the report data:

Location	Enclosure	Display Name	Equipment Type	Notes	Operational Status	Project	
Orleans	Orleans	Bridge_Special Engineering Difficulty	Special Engineering Difficulties	There is an area on the lip that a duct can be placed	Not Applicable	Project Orleans HLD	

Below the table, there is a pagination control showing '1' of 30 records. At the bottom right, it says 'Total Records: 1'.

Display Name that you have given to the SED during the set up to make it identifiable.

Location and **Project** where the SED is situated.

Any relevant **Notes** made will be displayed.

1.5.2 Wayleave

This page displays all Wayleaves in the system with their relevant information.

Location	Display Name	Network Status	Notes
Orleans	Lab_O_WAYLEAVE	Accepted	Wayleave number 12345678
Orleans	Rue Marchais 1_WAYLEAVE	Applied For	A letter has been sent to the owner.
Orleans	Rue Marchais 2_WAYLEAVE	Required	
Orleans	Wild Code_WAYLEAVE	Rejected	This is rejected due to fact there is enough space for the ducting to be laid outside the boundary

Display Name that you have given to the *Boundary* during the set up to make it identifiable.
Location where the Wayleave is situated.
Network Status of the Wayleave.
 Any relevant **Notes** made will be displayed.

1.6 Test Schedule

This page displays all schedules set up on the Schedule Status for each route in the system.

POP	Route	S1	O	S1 Schedule Level	S1 Interval	S1 Test Type	S1 Override Interval	S2	S2 Schedule Level	S2 Interval	S2 Test Type
ORLE-POP 01	Area 2	N	N					N			
ORLE-POP 01	Area 3	N	N					N			
ORLE-POP 01	SW001.001	Y	N	SW001.001	1 hour	SYSTEM_QUICK_TEST		N			
ORLE-POP 01	SW001.004	N	Y				5 minutes	Y	SW001.004	1 week	GENERIC_TEST
ORLE-POP 01	SW001.009	Y	N	SW001.009	6 hours	SYSTEM_QUICK_TEST		Y	SW001.009	24 hours	GENERIC_TEST

POP and **Route** the schedules are set up on.
 What is the **Interval** between *S1*, *S1 Override* and *S2* scheduled tests.
 Is *S1*, *S1 Override* and *S2* schedules **On**?
 What **type of test** will be run on the schedules



**UTEL Laboratories
Wolves Farm Lane
Hadleigh
Suffolk
IP7 6BH
United Kingdom**

**Tel: +44 (0)1473 828 909
Email: training@utel.co.uk**

www.utel.co.uk